

U-MIX® Mortar Mix

60 lb / 80 lb Bags

#67743 / #67731

DESCRIPTION:

U-MIX® Mortar Mix is a specially formulated blend of Portland cement, lime or fire clay and fine sand. This product is ideal for use in the laying of bricks, block or stone. All ingredients are thoroughly premixed to ensure maximum strength and work-ability. Simply add water. Meets or exceeds strength requirements of ASTM C-387 for Type N mortar when used as directed.



SUGGESTED USES:

- Lay Brick
- Set Blocks
- Tuck Pointing
- Patching
- Stuccoing
- Chimney Repair
- Stone Work

PREPARATION:

All surfaces should be clean and free of oil, gas, paint, grease, etc. before applying mix.

DIRECTIONS FOR MIXING:

Pour U-MIX® Mortar Mix into a clean wheelbarrow, mortar box, or mixing bucket. Form a crater in the center of the dry mix. Pour clean potable water into the crater at a rate of one quart per 15 pounds of mix. Work the mix with a shovel or hoe adding water as needed to achieve a stiff moldable mixture. Avoid over wetting the mix. Adding excessive water may weaken the mix.

FOR BEST RESULTS:

Use only when temperature is 40° and rising. In cold weather use warm, not hot, water for mixing.

Dampen the block or the repair area before applying the new mortar to prevent premature drying of the new material.

Keep the new mortar damp for at least three (3) days by occasional fine spraying with water.

TOOLS YOU MAY NEED:

- Wheelbarrow or Mixer
- Trowel
- Shovel or Hoe
- Snap Line & Level
- Hammer
- Chisel

CLEAN UP:

Clean up is easy and simple with soap and water. Rinse tools before materials hardens.

60 lb BAG YIELD:

NUMBER OF 60LB BAGS OF U-MIX MORTAR MIX REQUIRED TO LAY 8" STANDARD BLOCKS WITH 3/8" JOINTS										
NO. OF BLOCKS	8	16	24	32	40	48	100	200	448	
NO. OF BAGS	1	2	3	4	5	6	13	25	56	

NUMBER OF 60LB BAGS OF U-MIX MORTAR MIX REQUIRED TO LAY STANDARD MODULAR (8"x2"x4") BRICKS WITH 3/8" JOINTS										
NO. OF BRICKS	26	52	88	114	140	166	500	800	1450	
NO. OF BAGS	1	2	3	4	5	6	19	30	56	

80 lb BAG YIELD:

NUMBER OF 80LB BAGS OF U-MIX MORTAR MIX REQUIRED TO LAY 8" STANDARD BLOCKS WITH 3/8" JOINTS										
NO. OF BLOCKS	10	21	31	42	52	63	100	200	440	
NO. OF BAGS	1	2	3	4	5	6	9	18	42	

NUMBER OF 80LB BAGS OF U-MIX MORTAR MIX REQUIRED TO LAY STANDARD MODULAR (8"x2"x4") BRICKS WITH 3/8" JOINTS										
NO. OF BRICKS	34	68	102	136	170	204	500	800	1400	
NO. OF BAGS	1	2	3	4	5	6	15	24	42	